







GSWeb

A new horizon of playnets
for children



GWeb's

I Cubed playground



CI Introducing GWeb's CI

We have taken inspiration for our CI from the geometry of a spiderweb. Just as a web's geometric design creates a strong and stable structure, GWeb's playground equipment provides one of the safest and most reliable play environments for children of any age.



+



+



BI Introducing GWeb's BI

I-Cubed is the new BI from GWeb, which leads the world of imagination. It is a playground where Interactivity, Intelligence, and Imagination are combined, supporting the discovery of multiple intelligence-based talents and unlimited imagination.



TOTAL INTERACTION



MULTIPLE INTELLIGENCES



GREAT IMAGINATION

A NEW TAKE ON PLAY!



GSWeb is the world's leading company for net-based playground equipment. We make fun, exciting and challenging products that are safe, dependable, and long-lasting. To do so we use the same technology that was developed for the design, production and construction of bridge cables.

Stunning net-play structures of GWeb introduce active movement, enhancing children's adaptability. Through this, their cognitive, emotional, and psychomotor functioning are enhanced, strengthening the basis for future health. Children learn and develop naturally through play, learning about their feelings and how to express them in a healthy manner.

We are committed to providing you with the best solution for keeping children safe while providing engaging and physically challenging activities.

Endless design options allow you to create a customized playground, ensuring you find the perfect fit for your children's needs. As they grow, their play needs develop, and GWeb is here every step of the way to guarantee that your children keep playing and learning.

Building a custom playground has the potential to reach beyond exercising creativity. GWeb's playground brings communities together, and parks and play environments provide multi-generational spaces for interaction, development and growth.



One-stop

manufacturing service
from concept to delivery

Images may differ from the actual product.
GSWeb reserves the right to make modifications, enhancements, improvements and any other changes in the design and specifications for any products at any time without notice.

Manufacturing and Customization

Our manufacturing processes use unique technology to create customized products and components. At GSWeb, we provide products that allow you to see your ideas become a reality.



Safety

Our products are always designed and manufactured in compliance with safety standards and mechanical testing in the factory. We aim to make children smile and help communities grow stronger via safe and enjoyable playgrounds.

Design

Our highly trained designers help you through every step, with your ideas in mind. We provide layout drawings that include a top view, side view, foundation details, and full-color 3D rendering. We always recommend the most suitable equipment for all budgets, spaces and needs.



Shipping

Our products are carefully wrapped and packed in bespoke wooden pallets and boxes for safe transport. We supply replacement parts, age-appropriate labeling, and installation instructions, which include construction views with guidelines and maintenance information.

Product Component

We have a wide selection of cable

16mm, 18mm, 20mm, and 22mm in diameter.

Ø18, Ø20, Ø22 cable

Ø16 cable



Cable

Each cable consists of 6 stands, each containing 24 reinforced steel strands within a polyamide (Nylon) sleeve wrapped around a solid polyamide core. Each end of the cable has a junction loop attached onto it with aluminum or stainless steel ferrule.



Net

Our tough, long-lasting, nylon-coated wire ropes are elastic and vivid in color. Plus, they are reinforced with steel for further strength. We use the same technology that was developed for the design, production and construction of bridge cables. We guarantee that you won't find a better alternative.



Metal components

We have technical expertise in precision welding and hand cleaning. We often utilize hot-dip galvanized steel tubing finished with polyester powder coating, which leaves a smooth-to-the-touch surface. Small parts also have a powder coating, providing a similar effect. These small parts are made of stainless steel, anodized or painted aluminum.



Fasteners and Connections

The majority of fasteners are made of stainless steel, guaranteeing long-lasting protection against corrosion in use. Our inimitable, high-quality connections are designed using rigorous methods and quality control.



Certificate

GSWeb complies with international safety standards(EN, ASTM, CSA) for safe use and to provide the most stable and safest environment for children to play in. We have set out to create the highest quality playgrounds at the best price available in the market over 20 years. To raise the safety of our products, we check every component at every step of production under quality control. We hope to receive more feedback whether positive or negative to enhance the quality of our products.



ISO9001:2015

GSWeb is in compliance with ISO9001:2015, emphasized processes to aid in continuous improvement in quality and customer service. And our management system ensures that everything we learn from marketing and maintenance is incorporated into the development and manufacture of our products and their documentation.



TUV

TUV Product Service, an international testing and certification organization, is a European Union Notified and competent body providing services which include product testing and certification. The European Harmonized Standard for Commercial Playground Equipment, EN1176, is the TUV standard for commercial playgrounds. For GSWeb products are fully TUV-certificated by EN1176, compliant with all recognized play safety standards - All structures are designed to prevent parts of body entrapment, and to help trapped children in case through the access for adults.



IPMEA member

GSWeb is a member in good standing of IPEMA, the International Play Equipment Manufactures Association. IPEMA is a member-driven international trade organization which represents and promotes and open market for manufacturers. As the one of IPEAM members, we meet the design and safety guidelines according to ASTM F1487 and CPSC publications for playground equipment designed for public use.

- ASTM, The American Society of Testing & Materials International.
- CPSC, The United States Consumer Product Safety Commission.



Good design Selection 2018 & 2020(South Korea)

- Acorn Village(GS-SV102) - Awarded by the Good Design
- TAGO(GS-TG201) - Awarded by the Good Design
- Exciting Cycle - Awarded by the Good Design

GSWeb keeps improving the quality of life by improving product design and meeting the diverse demands of consumers, and contributing to the development of design by expanding public awareness of the field.

Warranty Policy

GSWeb warrants its products to be free from defect in materials or workmanship for a period of (1) one year during normal use and installation and in accordance with our published specifications. Additional limited warranties cover the products against defects caused by deterioration affecting the structural integrity of the equipment. The period and scope of this limited warranty shall be as provided below calculated from the date of purchase of the Products:

- 20 year limited** warranty on steel posts and stainless steel posts, with the exclusion of cosmetic defects, and providing that proper maintenance was performed on rotating parts according to Manufacturer's instruction.
- 15 year limited** warranty on moulded aluminum parts and aluminum posts, with the exclusion of cosmetic defects.
- 10 year limited** warranty on cable breakage, with the exclusion of cosmetic defects. In case, the product is installed within 250meter of the sea, contact us separately for the warranty period.
- 5 year limited** warranty on tubular aluminum and steel components, and aluminum and stainless steel connectors, with the exclusion of cosmetic defects. warranty on PVC-coated steel decks, with the exclusion of cosmetic defects. warranty on rubber seats or rubber mats for net events, with the exclusion of cosmetic defects. warranty on nylon bearings and ring junction pieces, with the exclusion of cosmetic defects.
- 2 year limited** warranty on nylon bushings and rubber bumper for Rainbow Swings, with the exclusion of cosmetic defects. warranty on plastic panels and slide, with the exclusion of cosmetic defects. warranty on premature wear of nylon cables, with the exclusion of cosmetic defects. Determination of what constitutes premature wear will be at Manufacturer's discretion.

In case, the product is installed within 250meter of the sea, contact us separately for the warranty period.

Third party's products:

PE Slide, including tubes, is supplied by third party supplier so it may carry their own warranties.

GSWeb warranty is not applied to non-GSWeb manufacturing products.

In normal use condition, our slide supplier doesn't have any responsibilities for installation services performed by third party suppliers.

The warranty stated above is valid only if the structures are erected in conformity with the installation instructions and procedures furnished by GSWeb using approved parts; have been maintained and inspected in accordance with GSWeb's instructions; have been subjected to normal use for the purpose for which the goods were designed; have not been subjected to vandalism, misuse, neglect or accident; have not been subjected to addition or substitution of parts; and have not been modified, altered, or repaired by persons other than GSWeb or its designees in a any respect which, in the judgment of GSWeb, affects the condition or operation of the structures. This warranty does not cover cosmetic items (such as scratches, dents, marring, fading, discoloring and weathering), paint, normal wear and tear, or damage due to checking and warping.

These warranties cover either replacement or repair, at the Manufacturer's discretion, of any Products according to the above descriptions. Transportation and installation-on-site costs are not covered by these warranties, except where specific arrangements are made with written consent from the Manufacturer.

To make claim under the terms of the Warranty, the Buyer's written statement of claim, along with a copy of the original invoice, maintenance records, and supporting photographs, must be sent to the below listed address.

Contents

GSWeb 2023 products

Images may differ from the actual product. GSWeb reserves the right to make modifications, enhancements, improvements and any other changes in the design and specifications for any products at any time without notice.

Bespoke PARK

10p GSWeb's Color Choices



16p New Products



168p Bespoke PARK



188p Play Exciting



Tower Type

22p T.O.P



28p Antz Hill



38p Acorn Village



44p Sky Walk



60p Teardrop Maze



64p Diamond



Net Type

18p RingS



68p Rolling Hills



80p Nature



88p TAGO



92p Fishing Boat



96p Spider Tower Net



100p Igloo



110p Net Climber



122p Netscape



134p Play Dome



144p Giant Double Dome Play



Movable type

150p Flying Fox



154p Rainbow Swing



160p Net Jumper




164p Space Craft



gswebplay.com

GSWeb's Color Choices


Frame



HPL



Slide




Rope




HELIX is the new brand name of GSWeb's unique rope technology. Our tough, long-lasting, nylon-coated wire ropes are elastic and vivid in color. Plus, they are reinforced with steel for further strength. We guarantee that you won't find a better alternative.

The **Cables** produced by GSWeb are coated with a variety of materials, including POLYAMIDE, POLYESTER and easy-to-recycle POLYETHYLENE, depending on the installation environment. The outer diameters of the cable are 16mm, 18mm, 20mm, 22mm, 24mm, and 32mm.



Thickness 16mm
Structure 19x7



Thickness 18mm, 20mm, 22mm
Structure 24x7,1

GWeb's Rope Helix Components



CR001Y2301

| | |
|----------|------------------------------|
| Assembly | Rope + Thimble(1/2) |
| Size(m) | Ø18, Ø20 |
| Material | Compound Rope, Aluminium, PE |



CR005Y2301

| | |
|----------|---|
| Assembly | Rope + Thimble(1/2) + Shackle(1/2) |
| Size(m) | Ø18, Ø20 |
| Material | Compound Rope, Aluminium, Stainless Steel, PE |



CR002Y2301

| | |
|----------|---|
| Assembly | Rope + Thimble(1/2) |
| Size(m) | Ø18, Ø20, Ø22 |
| Material | Compound Rope, Aluminium, Stainless Steel |



CR006Y2301

| | |
|----------|--|
| Assembly | Rope + Thimble(1/2) + Shackle(5/8) |
| Size(m) | Ø18, Ø20, Ø22 |
| Material | Compound Rope, Aluminium, Stainless Steel, Steel |



CR003Y2301

| | |
|----------|---|
| Assembly | Rope + Thimble(1/2) + Eyebolt(M12) |
| Size(m) | Ø18, Ø20 |
| Material | Compound Rope, Aluminium, Stainless Steel, PE |



CR007Y2301

| | |
|----------|------------------------------------|
| Assembly | Rope + Thimble(5/8) + Shackle(7/8) |
| Size(m) | Ø20, Ø22 |
| Material | Compound Rope, Aluminium, Steel |



CR004Y2301

| | |
|----------|---|
| Assembly | Rope + Thimble(3/8) + Shackle(3/8) |
| Size(m) | Ø18, Ø20 |
| Material | Compound Rope, Aluminium, Stainless Steel, PE |



WR008Y2301

| | |
|----------|--|
| Assembly | Stainless Steel Wire + Thimble(1/2) + Shackle(1/2) |
| Size(m) | Ø10, Ø12 |
| Material | Stainless Steel Wire Rope, Aluminium + Steel |



CR009Y2301

| | |
|----------|---|
| Assembly | Rope + Thimble(1/2) + Shackle Eyelet2 |
| Size(m) | Ø20 |
| Material | Compound Rope, Aluminium, Stainless Steel, PE |



CR010Y2301

| | |
|----------|---|
| Assembly | Rope + Thimble(1/2) + Shackle Eyelet3 |
| Size(m) | Ø20 |
| Material | Compound Rope, Aluminium, Stainless Steel, PE |



CR01123Y01

| | |
|----------|---|
| Assembly | Rope + Thimble(1/2) + Shackle Eyelet4 |
| Size(m) | Ø20 |
| Material | Compound Rope, Aluminium, Stainless Steel, PE |



CR012Y2301

| | |
|----------|---|
| Assembly | Rope + Thimble(1/2) + Shackle EyeletY |
| Size(m) | Ø20 |
| Material | Compound Rope, Aluminium, Stainless Steel, PE |



CR013Y2301

| | |
|----------|---|
| Assembly | Rope + Clamp Single(50A) |
| Size(m) | Ø18, Ø20 |
| Material | Compound Rope, Aluminium, Stainless Steel |



CR014Y2301

| | |
|----------|---|
| Assembly | Rope + Clamp Double(50A) |
| Size(m) | Ø18, Ø20 |
| Material | Compound Rope, Aluminium, Stainless Steel |



CR015Y2301

| | |
|----------|--|
| Assembly | Rope + Thimble(1/2) + EyeBolt(M12) + Clamp(125A) |
| Size(m) | Ø18, Ø20 |
| Material | Compound Rope, Aluminium, Stainless Steel, PE |



CR016Y2301

| | |
|----------|--------------------------------|
| Assembly | Rope + Socket(F) + Chain |
| Size(m) | Ø16, Ø18, Ø20 |
| Material | Compound Rope, Stainless Steel |

GWeb's Rope Helix Components



CR017Y2301

| | |
|----------|--------------------------------|
| Assembly | Rope + Socket(F) + Socket(W) |
| Size(m) | Ø16, Ø18, Ø20 |
| Material | Compound Rope, Stainless Steel |



CR021Y2301

| | |
|----------|----------------------------------|
| Assembly | Rope + Socket(M) + Granzort(FMV) |
| Size(m) | Ø16, Ø18, Ø20 |
| Material | Compound Rope, Stainless Steel |



CR018Y2301

| | |
|----------|------------------------------------|
| Assembly | Rope + Socket(M) + Socket(Tap M10) |
| Size(m) | Ø16, Ø18, Ø20 |
| Material | Compound Rope, Stainless Steel |



CR022Y2301

| | |
|----------|---|
| Assembly | Rope + T Connector |
| Size(m) | Ø18, Ø20 |
| Material | Compound Rope, Aluminium Stainless Steel |



CR019Y2301

| | |
|----------|-------------------------------------|
| Assembly | Rope + Socket(M) + Socket Bolt(M10) |
| Size(m) | Ø16, Ø18, Ø20 |
| Material | Compound Rope, Stainless Steel |



CR023Y2301

| | |
|----------|--|
| Assembly | Rope + Socket(M) + T Connector Hinge |
| Size(m) | Ø18, Ø20 |
| Material | Compound Rope, Aluminium, Stainless Steel |



CR020Y2301

| | |
|----------|----------------------------------|
| Assembly | Rope + Socket(M) + Granzort(FFV) |
| Size(m) | Ø16, Ø18, Ø20 |
| Material | Compound Rope, Stainless Steel |



CR024Y2301

| | |
|----------|--|
| Assembly | Rope + Socket(F) + PlateSocket |
| Size(m) | Ø16, Ø18, Ø20 |
| Material | Compound Rope, Aluminium, Stainless Steel |



CR025Y2301

| | |
|----------|--------------------------------|
| Assembly | Rope + BoltSocket(M16) |
| Size(m) | Ø20 |
| Material | Compound Rope, Stainless Steel |



CR029Y2301

| | |
|----------|--------------------------------|
| Assembly | Rope + Stainless Ferrule |
| Size(m) | Ø16, Ø18, Ø20 |
| Material | Compound Rope, Stainless Steel |



CR026Y2301

| | |
|----------|--------------------------------|
| Assembly | Rope + Trunbuckle Mini |
| Size(m) | Ø20 |
| Material | Compound Rope, Stainless Steel |



MR029Y2301

| | |
|----------|------------------------------|
| Assembly | Giant Rope |
| Size(m) | Ø160 |
| Material | Manila Rope, Stainless Steel |



CR027Y2301

| | |
|----------|---------------------------------------|
| Assembly | Rope + Thimble(1/2) + Trunbuckle Twin |
| Size(m) | Ø20, Ø22 |
| Material | Compound Rope, Stainless Steel |



CR028Y2301

| | |
|----------|--------------------------|
| Assembly | LoopRope |
| Size(m) | Ø16, Ø18, Ø20, Ø22 |
| Material | Compound Rope, Aluminium |

New Products




20p GS-RG101



20p GS-RG102



20p GS-RG103




20p GS-RG104




20p GS-RG105




21p GS-RG107



21p GS-RG108



21p GS-RG106



21p GS-RG109



21p GS-RG110

01

RingS

Rings are derived from circles, one of the most basic shapes that children can easily identify and may associate with other objects such as wheels or planetary rings. They are designed using a variety of shapes in order to foster children's imagination. One distinct difference between GSWeb's existing play equipment and our new designs is that our play panel allows children to generate electricity and play on their own.



GS-RG101

South Korea
2023



SIZE Comparison



GS-RG101

GS-RG102



GS-RG103

GS-RG104



GS-RG105

GS-RG106



GS-RG107

GS-RG108



GS-RG109

GS-RG110


GS-RG101

| | |
|----------------|--------------------|
| Ages | 5-12 |
| Capacity | 25 |
| Size(m) | L3.1 x W3.3 x H2.5 |
| Use Zone(m) | D7.3 |
| Fall Height(m) | 2.4 |




GS-RG102

| | |
|----------------|--------------------|
| Ages | 5-12 |
| Capacity | 21 |
| Size(m) | L4.1 x W1.1 x H2.4 |
| Use Zone(m) | L7 x W5.1 |
| Fall Height(m) | 2.3 |





GS-RG106

| | |
|----------------|--------------------|
| Ages | 5-12 |
| Capacity | 32 |
| Size(m) | L4.5 x W3.5 x H2.6 |
| Use Zone(m) | L7.2 x W6.5 |
| Fall Height(m) | 2.2 |



GS-RG107

| | |
|----------------|--------------------|
| Ages | 5-12 |
| Capacity | 12 |
| Size(m) | L2.3 x W2.8 x H2.4 |
| Use Zone(m) | L5.2 x W5.7 |
| Fall Height(m) | 2 |




GS-RG103

| | |
|----------------|--------------------|
| Ages | 5-12 |
| Capacity | 19 |
| Size(m) | L3.8 x W2.7 x H2.5 |
| Use Zone(m) | L6.8 x W5.7 |
| Fall Height(m) | 1.9 |



GS-RG104

| | |
|----------------|--------------------|
| Ages | 5-12 |
| Capacity | 21 |
| Size(m) | L4.6 x W4.4 x H2.9 |
| Use Zone(m) | D7.5 |
| Fall Height(m) | 1.9 |





GS-RG105

| | |
|----------------|--------------------|
| Ages | 5-12 |
| Capacity | 11 |
| Size(m) | L3.7 x W2.1 x H2.5 |
| Use Zone(m) | L6.7 x W5 |
| Fall Height(m) | 2 |





GS-RG108

| | |
|----------------|--------------------|
| Ages | 5-12 |
| Capacity | 30 |
| Size(m) | L3.5 x W3.3 x H2.6 |
| Use Zone(m) | L6.5 x W6.2 |
| Fall Height(m) | 2.1 |



GS-RG109

| | |
|----------------|------------------|
| Ages | 5-12 |
| Capacity | 19 |
| Size(m) | L4.8 x W2.8 x H2 |
| Use Zone(m) | L7.8 x W5.6 |
| Fall Height(m) | 1.7 |



GS-RG110

| | |
|----------------|--------------------|
| Ages | 5-12 |
| Capacity | 13 |
| Size(m) | L2.7 x W3.5 x H2.5 |
| Use Zone(m) | L5.7 x W6.4 |
| Fall Height(m) | 2 |



02

T.O.P

Top Of the Place

With a world full of fascinating play destinations, choosing the perfect playground spot can present a challenge. This structure will provide endless forms of amusement, such as climbing, sliding, dangling and harnessing kids' energy to create power. To us, children achieving mutual goals is what makes a playground interesting.




GS-TP203

New Zealand
2019



SIZE Comparison



GS-TP101

GS-TP102

GS-TP201



GS-TP202

GS-TP203



GS-TP204

GS-TP301



GS-TP401

GS-TP402


GS-TP403



GS-TP404


GS-TP101-1

| | |
|----------------|---------------------|
| Ages | 5~12 |
| Capacity | 23 |
| Size(m) | L11.9 x W6.3 x H8.2 |
| Use Zone(m) | L15.4 x W9.3 |
| Fall Height(m) | 2.5 |




GS-TP101

| | |
|----------------|---------------------|
| Ages | 5~12 |
| Capacity | 37 |
| Size(m) | L11.9 x W7.1 x H8.2 |
| Use Zone(m) | L15.4 x W10.1 |
| Fall Height(m) | 2.5 |





GS-TP102-1

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 34 |
| Size(m) | L15.6 x W6.3 x H10 |
| Use Zone(m) | L19.1 x W9.3 |
| Fall Height(m) | 2.5 |




GS-TP102

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 48 |
| Size(m) | L15.6 x W7.1 x H10 |
| Use Zone(m) | L19.1 x W10.1 |
| Fall Height(m) | 2.5 |



GS-TP201

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 13 |
| Size(m) | L8.9 x W3.4 x H6.5 |
| Use Zone(m) | L11.6 x W6.3 |
| Fall Height(m) | 2.5 |



GS-TP202

| | |
|----------------|---------------------|
| Ages | 5~12 |
| Capacity | 22 |
| Size(m) | L13.1 x W7.2 x H6.9 |
| Use Zone(m) | L16.3 x W9.8 |
| Fall Height(m) | 2.6 |





GS-TP203

| | |
|----------------|-------------------|
| Ages | 5~12 |
| Capacity | 33 |
| Size(m) | L16.4 x W7.4 x H8 |
| Use Zone(m) | L19.5 x W10.4 |
| Fall Height(m) | 2.6 |



GS-TP204

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 51 |
| Size(m) | L16.7 x W13.2 x H8 |
| Use Zone(m) | L19.4 x W16.1 |
| Fall Height(m) | 2.6 |






GS-TP301-M

Australia
2017




GS-TP301

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 40 |
| Size(m) | L9.3 x W8.9 x H8.7 |
| Use Zone(m) | L12.1 x W11.5 |
| Fall Height(m) | 1.2 |



GS-TP301-M

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 42 |
| Size(m) | L9.3 x W8.9 x H8.5 |
| Use Zone(m) | L12.1x W11.5 |
| Fall Height(m) | 1.2 |





GS-TP401

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 25 |
| Size(m) | L7.1 x W3.7 x H3.8 |
| Use Zone(m) | L10.6 x W6.7 |
| Fall Height(m) | 2.0 |



GS-TP404

| | |
|----------------|-------------------|
| Ages | 5~12 |
| Capacity | 90 |
| Size(m) | L19 x W6.9 x H7.2 |
| Use Zone(m) | L21.3 x W8.7 |
| Fall Height(m) | 2.0 |





GS-TP402

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 37 |
| Size(m) | L7.4 x W4.8 x H5.5 |
| Use Zone(m) | L9.8 x W8.3 |
| Fall Height(m) | 2.0 |



GS-TP403

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 49 |
| Size(m) | L7.3 x W8.0 x H7.2 |
| Use Zone(m) | L9.4 x W11.3 |
| Fall Height(m) | 2.0 |



03

Antz Hill

The design drew inspiration from a fascinating question: "How do ants with tiny brains engineer such impressive structures, with parallel levels connected by a network of tunnels?" We discovered that the larger scale structures are the result of many interactions at the small scale. Unlike linear play movement, this structure, called Antz hill, will provide endless forms of amusement, such as climbing, sliding, dangling, swinging, and playing music, harnessing children's energy to create power. We can help children reach the top of the tower surrounded by the frenetic energy of the playground.






GS-AH104

South Korea
2019





SIZE Comparison




Color Schemes

Standard color




Honeybee




Mandarin



Candy



Ocean




Jungle



Autumn





Earth



GS-AH101-2F

| | |
|----------------|-------------------|
| Ages | 5~12 |
| Capacity | 37 |
| Size(m) | L5.7 x W11.6 x H8 |
| Use Zone(m) | L8.6 x W14.9 |
| Fall Height(m) | 1.8 |




GS-AH101

| | |
|----------------|-------------------|
| Ages | 5~12 |
| Capacity | 52 |
| Size(m) | L11.6xW10.3xH10.5 |
| Use Zone(m) | L14.8 x W14.0 |
| Fall Height(m) | 1.8 |





GS-AH101-3F

| | |
|----------------|---------------------|
| Ages | 5~12 |
| Capacity | 43 |
| Size(m) | L6.2 x W14.7 x H8.8 |
| Use Zone(m) | L9.8 x W17.9 |
| Fall Height(m) | 1.8 |




GS-AH102-2F

| | |
|----------------|-------------------|
| Ages | 5~12 |
| Capacity | 47 |
| Size(m) | L8.3 x W10.1 x H8 |
| Use Zone(m) | L11.2 x W13.1 |
| Fall Height(m) | 1.8 |





GS-AH102

| | |
|----------------|-------------------|
| Ages | 5~12 |
| Capacity | 62 |
| Size(m) | L14.3xW10.3xH10.5 |
| Use Zone(m) | L17.4 x W14 |
| Fall Height(m) | 1.8 |



GS-AH102-3F

| | |
|----------------|----------------------|
| Ages | 5~12 |
| Capacity | 54 |
| Size(m) | L12.4 x W12.7 x H8.8 |
| Use Zone(m) | L15.8 x W14.8 |
| Fall Height(m) | 1.8 |





GS-AH104

Singapore
2019



GS-AH103

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 51 |
| Size(m) | L15.8 x W15.7 x H8 |
| Use Zone(m) | L17.9 x W18 |
| Fall Height(m) | 1.8 |



GS-AH104

| | |
|----------------|-----------------------|
| Ages | 5~12 |
| Capacity | 101 |
| Size(m) | L15.5 x W15.6 x H10.5 |
| Use Zone(m) | L17.8 x W18.7 |
| Fall Height(m) | 1.8 |



GS-AH101-2F

Taiwan
2022





Antz Hill

South Korea
2019



Key Map

Product Proposal

| | |
|-------------|------------------------|
| ① GS-AH104 | Antz Hill |
| ② GS-SN1101 | Spider Tower Net |
| ③ GS-PD8005 | Giant Double Dome Play |
| ④ GS-SW-SW | Sky Walk |
| GS-SW-B | |
| GS-SW-IP | |
| GS-SW-CT | |

04

Acorn Village

Sometimes we recover distant memories from our childhood. Our generation's childhood memories involve playing endlessly, but children in the smartphone age may not be having the same experiences. In a trend that experts are calling 'retro play', GSWeb suggests that parents think back to their favorite childhood memories of creating activities when they were on a tight budget with their friends. Now, it is time to go to the Acorn Village with your children. There, they will help each other to form strong friendships, as you have.



GS-SV102

South Korea
2017



SIZE Comparison



GS-SV101-1



GS-SV101



GS-SV102



GS-SV103


GS-SV101-1

| | |
|----------------|-------------------|
| Ages | 5~12 |
| Capacity | 22 |
| Size(m) | L8 x W11.3 x H8.1 |
| Use Zone(m) | L10.4 x W13.3 |
| Fall Height(m) | 1.4 |



GS-SV101

| | |
|----------------|----------------------|
| Ages | 5~12 |
| Capacity | 31 |
| Size(m) | L12.4 x W11.2 x H9.6 |
| Use Zone(m) | L13.5 x W13.8 |
| Fall Height(m) | 1.4 |



GS-SV102

| | |
|----------------|----------------------|
| Ages | 5~12 |
| Capacity | 62 |
| Size(m) | L19.2 x W12.5 x H9.6 |
| Use Zone(m) | L20.1 x W13.3 |
| Fall Height(m) | 1.4 |



GS-SV103

| | |
|----------------|----------------------|
| Ages | 5~12 |
| Capacity | 109 |
| Size(m) | L21.4 x W13.1 x H9.6 |
| Use Zone(m) | L23.5 x W15.3 |
| Fall Height(m) | 1.9 |



GS-SV102

France
2018






GS-SV102

South Korea
2017



GS-SV102




Accessory

GS-A03

| | |
|----------------|--------------------|
| Ages | 2~12 |
| Capacity | 7 |
| Size(m) | L4.2 x W0.8 x H0.8 |
| Use Zone(m) | L4.2 x W0.8 |
| Fall Height(m) | 0.2 |

Rear View



GS-A02

| | |
|----------------|--------|
| Ages | 2~12 |
| Capacity | 1/Unit |
| Size(m) | L1.5 |
| Use Zone(m) | L1.5 |
| Fall Height(m) | 0 |

Mound is not included.

Front View

GS-SV201

| | |
|----------------|--------------------|
| Ages | All ages |
| Capacity | 4 |
| Size(m) | L1.8 x W1.8 x H2.5 |
| Use Zone(m) | L1.8 x 1.8 |
| Fall Height(m) | N/A |

GS-A04

| | |
|----------------|--------------------|
| Ages | 2~12 |
| Capacity | 1 |
| Size(m) | L2.4 x W0.8 x H0.9 |
| Use Zone(m) | L2.8 x W2 |
| Fall Height(m) | 0.9 |

GS-A01

| | |
|----------------|------------------|
| Ages | 2~12 |
| Capacity | 6 |
| Size(m) | L2 x W1.7 x H1.6 |
| Use Zone(m) | L5 x W2.6 |
| Fall Height(m) | 1.5 |

GS-A05

| | |
|----------------|--------------------|
| Ages | 2~12 |
| Capacity | 6 |
| Size(m) | L4.3 x W1.1 x H2.3 |
| Use Zone(m) | L4.3 x W1.1 |
| Fall Height(m) | 1.5 |

Images may differ in appearance from the actual product.

GSWeb reserves the right to change specifications and make product improvements to any of our products at any time without notice.

05

Sky Walk

Have you ever dreamt of walking high in the sky? GSWeb's SkyWalk will make your dreams come true. The SkyWalk is connected by stations that resemble towering trees branching out to the sky. With this, everyone can have fun at a new height. Climb higher and higher! Walk step by step! Slide wearing a huge grin! As children climb higher and higher, the excitement on their faces is enough to show you just how much fun they are having. The SkyWalk Adventure, Sky Bridges and Giant Slide that make up this magnificent structure will have everyone feeling like they are on top of the world.



Sky Walk Combination

South Korea
2018



SIZE Comparison



GS-SW901

GS-SW902



GS-SW903



GS-SG901



GS-SG902



GS-SG903



Sky Walk


Hong Kong
2020

Combination With Acorn Village & GS-SN1101-S, GS-SV201



Color Schemes


Rapunzel



Forest



Circus



Cookie House






Sky Walk

Combination with GS-TP301-M



Key Map



Product Proposal

- ① GS-SW-SW Woody : Santorini
- ② GS-SW-B Sky Bridge
- ③ GS-SW-TP
- ④ GS-SW-IP
- ⑤ GS-TP301-M

Santorini



Sky Walk

GS-TP301-M




GS-SW903

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 110 |
| Size(m) | L22.3xW23.1xH6.7 |
| Use Zone(m) | L24.9 x W25.1 |
| Fall Height(m) | 2.5 |

Unit

GS-SW-SW(6), GS-SW-B(2),
GS-SW-A1(1), GS-SW-A2(1),
GS-SW-A3(1), GS-SW-CT(1),
GS-SW-CN(1), GS-SW-CS(1),
SLIDE(2)




GS-SW901

| | |
|----------------|---------------------|
| Ages | 5~12 |
| Capacity | 19 |
| Size(m) | L12.1 x W6.8 x H4.9 |
| Use Zone(m) | L15.1 x W9.2 |
| Fall Height(m) | 2.5 |

Unit

GS-SW-SW(2), GS-SW-B(1),
GS-SW-CN(1), SLIDE(1)




GS-SW902

| | |
|----------------|-------------------|
| Ages | 5~12 |
| Capacity | 26 |
| Size(m) | L11 x W9.9 x H6.7 |
| Use Zone(m) | L12.3 x W10.9 |
| Fall Height(m) | 0.6 |

Unit

GS-SW-SW(3), GS-SW-B(1),
GS-SW-A1(1), GS-SW-CT(1),
SLIDE(1)





GSWeb 2023

GS-SG903

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 59 |
| Size(m) | L18.7xW14.2xH6.4 |
| Use Zone(m) | L20.5 x W15.7 |
| Fall Height(m) | 0.6 |

Unit

GS-SW-SG(5), GS-SW-IPG(1),
GS-SW-BV(5), GS-SW-CT(3),
SLIDE(2)





GS-SG901

| | |
|----------------|-------------------|
| Ages | 5~12 |
| Capacity | 24 |
| Size(m) | L14.9 x W4 x H6.4 |
| Use Zone(m) | L14.9 x W5.4 |
| Fall Height(m) | 0.6 |

Unit

GS-SW-SG(2), GS-SW-IPG(1),
GS-SW-BV(2), GS-SW-CT(1),
SLIDE(1)





Sky Walk

GS-SG902

| | |
|----------------|---------------------|
| Ages | 5~12 |
| Capacity | 34 |
| Size(m) | L17.8 x W9.1 x H6.4 |
| Use Zone(m) | L20.7 x W10.3 |
| Fall Height(m) | 0.6 |

Unit

GS-SW-SG(3), GS-SW-IPG(1),
GS-SW-BV(3), GS-SW-CT(1),
SLIDE(1)



Components of Sky Walk

Extend the play value of Sky Walk with the following individual elements.

Sky Station

Woody



GS-SW-SW

Sky Station Woody
Sky Station with
woody texture panel.

Polygon



GS-SW-SP

Sky Station Polygon
Polyhedral type Sky
Station.

Green



GS-SW-SG

Sky Station Green
Sky Station with
3 legs.

Bridge Post



GS-SW-IP

Intermediate Post.
It is connecting the
bridge.



GS-SW-TP


Intermediate Post
One in 3 legs is to
change the direction.



GS-SW-IPG

V Post For Green
Series, connect
V bridge
(Only Green)

Bridge



GS-SW-B

Sky Bridge Converge at the bridge to
create a unique walking experience.



GS-SW-BV


V Bridge For Green
Series,
V shape of bridge
(Only Green)

Bridge Accessory




GS-SW-A1

Sky Bridge
Adventure Stepping-
Stones




GS-SW-A2

Sky Bridge
Adventure
Stepping-Logs.



GS-SW-A3

Sky Bridge
Adventure
Stepping-Rubbers.



GS-SW-A4

Sky Bridge
Adventure
Stepping-Trays.

Climbing NET




GS-SW-CT

Climbing Tunnel
Cylinder type
Climbing Net that
develop strength.




GS-SW-CN

Climbing Net A wide
horizontal climbing
net that helps
enhance balance as
children walk across.



GS-SW-CS

Climbing Skirt-
Hammock, discs and
other playable
climbing net.




GS-W1004L

It is made of a
combination
of Net Climber and
GS-SW-SP.



GS-SW173901

| | |
|----------|------------------|
| Ages | 5~12 |
| Capacity | 78 |
| Size(m) | L20 x W26 x H5.6 |



Sky Walk Combination


South Korea
2018





Perth Stadium


| | |
|-------------|----------------------|
| Ages | 5~12 |
| Capacity | 45 |
| Size(m) | L24.1 x W12.9 x H7.4 |
| Use Zone(m) | L27.5 x W17 |





GS-SP180505

| | |
|-------------|-----------------------|
| Ages | 5~12 |
| Capacity | 78 |
| Size(m) | L20.3 x W14.8 x H10.2 |
| Use Zone(m) | L22.3 x W17.5 |



06

Teardrop Maze

As children grow, they can discern more differences among shapes and start to learn more precise words for the wide variety of geometric objects they encounter in life. One of the shapes we utilize is the teardrop, which looks similar to an oval with one end pointed outward. In the Teardrop Maze, there are many shapes of different sizes that together create a complex tangle that looks like an enormous maze.



GS-TM102

South Korea
2020

SIZE Comparison



GS-TM101




GS-TM102



GS-TM103

GS-TM101

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 47 |
| Size(m) | L6.6 x W6.2 x H4.9 |
| Use Zone(m) | L9.9x W8.2 |
| Fall Height(m) | 1.0 |




GS-TM102

| | |
|----------------|-------------------|
| Ages | 5~12 |
| Capacity | 102 |
| Size(m) | L9.8 x W12.7 x H6 |
| Use Zone(m) | L13.8 x W13.7 |
| Fall Height(m) | 1.0 |



GS-TM103

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 62 |
| Size(m) | L8.8 x W6.1 x H6 |
| Use Zone(m) | L11.5 x W8 |
| Fall Height(m) | 1.0 |



Accessories



GS-TM102



07

Diamond

This will help children working together to pass through the tunnel bridge with wavy paths that twist, turn, rise and fall. This keeps children entertained with various play-value components, and encourages them to develop important communication skills.




GS-DB102
South Korea
2019

SIZE Comparison



GS-DB101



GS-DB102




GS-DB103



GS-DB104


GS-DB101

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 13 |
| Size(m) | L6.5 x W4 x H5.2 |
| Use Zone(m) | L8.9 x W6 |
| Fall Height(m) | 1.3 |




GS-DB103

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 39 |
| Size(m) | L7.3 x W7.3 x H3.9 |
| Use Zone(m) | L9 x W9.1 |
| Fall Height(m) | 1 |



GS-DB102

| | |
|----------------|-------------------|
| Ages | 5~12 |
| Capacity | 30 |
| Size(m) | L13.5 x W9 x H5.2 |
| Use Zone(m) | L16.5 x W11.7 |
| Fall Height(m) | 1.5 |




Circle Green

Singapore
2016



GS-DB104

| | |
|----------------|----------------------|
| Ages | 5~12 |
| Capacity | 45 |
| Size(m) | L12.2 x W13.5 x H5.2 |
| Use Zone(m) | L15.1 x W16.5 |
| Fall Height(m) | 1.5 |





08

Rolling Hills

This structure shows how beautiful balance is. The Rolling Hills' design twists and turns itself into many different angles, and will give you a full workout as you make your way around the circuit. With its ups and downs and numerous activities along the way, this impressive structure would compliment any public open space. Additionally, Rolling Hills is designed according to the conditions of the site at which they are to be installed. With this, we will prepare one-of-a-kind equipment for you.




GS-RH104

France
2017



GS-RH103

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 106 |
| Size(m) | L23.3 x W15 x H2.9 |
| Use Zone(m) | L26.3 x W19 |
| Fall Height(m) | 2.9 |




GS-RH104

| | |
|----------------|---------------------|
| Ages | 5~12 |
| Capacity | 96 |
| Size(m) | L19.8 x W6.3 x H2.9 |
| Use Zone(m) | L22.8 x W9.3 |
| Fall Height(m) | 2.9 |




GS-RH105

Singapore
2016



GS-RH105-1

| | |
|----------------|----------------------|
| Ages | 5~12 |
| Capacity | 184 |
| Size(m) | L15.2 x W12.7 x H3.9 |
| Use Zone(m) | L18.2 x W15.7 |
| Fall Height(m) | 1.9 |





GS-RH105

| | |
|----------------|----------------------|
| Ages | 5~12 |
| Capacity | 231 |
| Size(m) | L19.4 x W15.9 x H4.8 |
| Use Zone(m) | L22.6 x W18.9 |
| Fall Height(m) | 2.6 |




GS-RH106

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 265 |
| Size(m) | L18.4 x W19 x H5.6 |
| Use Zone(m) | L21.9 x W22 |
| Fall Height(m) | 2.4 |



GS-RH107

| | |
|----------------|---------------------|
| Ages | 5~12 |
| Capacity | 39 |
| Size(m) | L10.2 x W7.6 x H5.8 |
| Use Zone(m) | L13.6 x W10.5 |
| Fall Height(m) | 2.1 |




GS-RH107
South Korea
2019



GS-RH112
South Korea
2018


GS-RH112

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 59 |
| Size(m) | L9.7 x W7.2 x H2.3 |
| Use Zone(m) | L13.5 x W10.5 |
| Fall Height(m) | 2.0 |




GS-RH115

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 13 |
| Size(m) | L4.2 x W2.7 x H2 |
| Use Zone(m) | L7.8 x W5.7 |
| Fall Height(m) | 2.0 |




GS-RH115-M

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 13 |
| Size(m) | L4.3 x W2.6 x H2 |
| Use Zone(m) | L7.8 x W5.7 |
| Fall Height(m) | 2.0 |




GS-RH201

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 17 |
| Size(m) | L5.7 x W4.6 x H1.9 |
| Use Zone(m) | L9.2 x W7.6 |
| Fall Height(m) | 1.3 |




GS-RH202

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 11 |
| Size(m) | L4.2 x W1.7 x H2.1 |
| Use Zone(m) | L7.2 x W4.7 |
| Fall Height(m) | 1.4 |





GS-RH203

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 40 |
| Size(m) | L8.3 x W8 x H4.7 |
| Use Zone(m) | L11.3 x W11 |
| Fall Height(m) | 0.5 |



GS-RH204

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 14 |
| Size(m) | L4.1 x W2.1 x H2.1 |
| Use Zone(m) | L7.1 x W5.8 |
| Fall Height(m) | 2.0 |



GS-RH201-M

Singapore
2018



GS-RH202

Singapore
2018




GS-RH105

South Korea
2017



GS-RH301

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 65 |
| Size(m) | L6.3 x W3.2 x H2.5 |
| Use Zone(m) | L10.6 x W7.5 |
| Fall Height(m) | 2.5 |




GS-RH302

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 97 |
| Size(m) | L9.2 x W3.2 x H2.5 |
| Use Zone(m) | L13.6 x W7.5 |
| Fall Height(m) | 2.5 |





GS-RH401

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 11 |
| Size(m) | L6 x W4.2 x H2.5 |
| Use Zone(m) | L10.3 x W7.3 |
| Fall Height(m) | 2.3 |




GS-RH402

| | |
|----------------|---------------------|
| Ages | 5~12 |
| Capacity | 97 |
| Size(m) | L17.2 x W9.5 x H5.1 |
| Use Zone(m) | L20.2 x W12.5 |
| Fall Height(m) | 1.8 |




GS-SP1201

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 40 |
| Size(m) | L6.2 x W6.1 x H2.1 |
| Use Zone(m) | L9.4 x W9.3 |
| Fall Height(m) | 2.1 |



GS-SP1202

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 391 |
| Size(m) | L25.4xW20.5xH4.2 |
| Use Zone(m) | L28.4 x W23.6 |
| Fall Height(m) | 2.7 |



GS-SP1201

Russia
2015


Rolling Hills

CONCEPT DESIGN for PARK



GS-RH15X08

| | |
|----------------|---------------------|
| Ages | 5~12 |
| Capacity | 45 |
| Size(m) | L10.3 x W3.7 x H2.7 |
| Use Zone(m) | L13.8 x W8 |
| Fall Height(m) | 2.8 |



GS-RH19X13

| | |
|----------------|---------------------|
| Ages | 5~12 |
| Capacity | 70 |
| Size(m) | L14.6 x W9.3 x H2.5 |
| Use Zone(m) | L17.5 x W13 |
| Fall Height(m) | 2.9 |



GS-RH19X19

| | |
|----------------|----------------------|
| Ages | 5~12 |
| Capacity | 128 |
| Size(m) | L13.1 x W13.1 x H2.5 |
| Use Zone(m) | L17.4 x W17.4 |
| Fall Height(m) | 2.9 |



GS-RH23X19

| | |
|----------------|----------------------|
| Ages | 5~12 |
| Capacity | 121 |
| Size(m) | L17.5 x W15.8 x H2.5 |
| Use Zone(m) | L21.2 x W19.5 |
| Fall Height(m) | 2.9 |



09

Nature

The Whale, Flower and Butterfly

The Whale, Flower and Butterfly series is not just a dynamic structure with a rich and attractive net, but it also includes interactive elements. With multiple uses as an urban sculpture, fitness equipment or seating, it has various functions for older siblings, parents and grandparents. This way, they can watch the playground while also doing something for themselves. This will provide play value to multiple generations. We can become aware of nature through this exhilarating outdoor play.



GS-N301

South Korea
2019



SIZE Comparison



GS-N100

GS-N110



GS-N101-1

GS-N101



GS-N201-1

GS-N201

GS-N201-M




GS-N301-1

GS-N301

GS-N311


GS-N100

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 4 |
| Size(m) | L9.2 x W2.7 x H4.4 |
| Use Zone(m) | L11.2 x W5 |
| Fall Height(m) | 0.9 |



GS-N110

| | |
|----------------|-----------------|
| Ages | 5~12 |
| Capacity | 47 |
| Size(m) | L11 x W7 x H2.9 |
| Use Zone(m) | L14.4 x W10 |
| Fall Height(m) | 2.7 |



GS-N101
South Korea
2020


GS-N101

South Korea
2020




GS-N101

| | |
|----------------|---------------------|
| Ages | 5~12 |
| Capacity | 65 |
| Size(m) | L13.6 x W8.7 x H6.2 |
| Use Zone(m) | L16.7 x W12.3 |
| Fall Height(m) | 2.1 |



GS-N101-1

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 19 |
| Size(m) | L8.1 x W2.6 x H4.4 |
| Use Zone(m) | L11.6 x W5.6 |
| Fall Height(m) | 1.6 |




GS-N201

Singapore
2017




GS-N201-M

| | |
|----------------|----------------------|
| Ages | 5~12 |
| Capacity | 200 |
| Size(m) | L17.7 x W11.7 x H3.8 |
| Use Zone(m) | L20.7 x W14.7 |
| Fall Height(m) | 2.7 |




GS-N201-1

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 19 |
| Size(m) | L4.3 x W3 x H1.6 |
| Use Zone(m) | L7.3 x W5.9 |
| Fall Height(m) | 1.6 |



GS-N201

| | |
|----------------|---------------------|
| Ages | 5~12 |
| Capacity | 66 |
| Size(m) | L11.9 x W6.4 x H4.8 |
| Use Zone(m) | L16 x W9.2 |
| Fall Height(m) | 3.0 |




GS-N301

South Korea
2019





GS-N311

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 31 |
| Size(m) | L9.7 x W5.1 x H5 |
| Use Zone(m) | L11.7 x W6.1 |
| Fall Height(m) | 1.0 |



GS-N301-1

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 43 |
| Size(m) | L9.5 x W7 x H4.9 |
| Use Zone(m) | L13.1 x W10.8 |
| Fall Height(m) | 2.9 |



GS-N301

| | |
|----------------|---------------------|
| Ages | 5~12 |
| Capacity | 92 |
| Size(m) | L16.6 x W9.3 x H4.9 |
| Use Zone(m) | L20.7 x W13.5 |
| Fall Height(m) | 2.9 |



10

TAGO

TrAvel to GSWeb's
Outdoor playground

GSWeb's TAGO series inspired by various vehicles such as bicycles, motorcycles, cars, airplanes and ships will activate children's imagination. If you share your ideas with us (for example, sunken ships or cars flying in space), we can make them a reality.




GS-TG201


South Korea
2019



SIZE Comparison



GS-TG101



GS-TG102




GS-TG201-F



GS-TG101

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 30 |
| Size(m) | L6.5 x W2.7 x H2.6 |
| Use Zone(m) | L9.5 x W7.2 |
| Fall Height(m) | 2.7 |



GS-TG102

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 26 |
| Size(m) | L6.4 x W5 x H2.8 |
| Use Zone(m) | L9.3 x W8.7 |
| Fall Height(m) | 2.9 |



GS-TG201

South Korea
2019

GS-TG201

| | |
|----------------|----------------------|
| Ages | 5~12 |
| Capacity | 100 |
| Size(m) | L17.4 x W12.3 x H7.6 |
| Use Zone(m) | L21.2 x W15.8 |
| Fall Height(m) | 2.5 |



11

Fishing Boat


Climbing the net in the Fishing Boat offers a 'magical' experience. The Fishing Boat's large trawl structure can support hundreds of children at once as they crawl from one end to the other, dangle from the under-hanging ropes with ball and discs, or simply spend time in the crow's nest. This structure is an ideal and dynamic playground apparatus that can challenge upper body strength and hand-eye coordination, promoting healthy play.




GS-SP1101
Czech Republic
2013



SIZE Comparison



GS-SP1100



GS-SP1102-1




GS-SP1102



GS-SP1101


GS-SP1100

| | |
|----------------|----------------------|
| Ages | 5~12 |
| Capacity | 14 |
| Size(m) | L11.4 x W11.4 x H7.6 |
| Use Zone(m) | L13.8 x W12.4 |
| Fall Height(m) | 2.3 |



GS-SP1102

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 188 |
| Size(m) | L19.3 x W19 x H7 |
| Use Zone(m) | L21.1 x W20 |
| Fall Height(m) | 2.1 |




GS-SP1101

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 362 |
| Size(m) | L26.4xW20.3xH9.6 |
| Use Zone(m) | L27.4 x W21.3 |
| Fall Height(m) | 2.0 |



GS-SP1102-1

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 52 |
| Size(m) | L11.2 x W10.4 x H6 |
| Use Zone(m) | L12.7 x W12 |
| Fall Height(m) | 1.4 |



GS-SP1102-1

South Korea
2020



12

Spider Tower Net

Imagine a web made by a garden spider. Children require models rather than deep-thinking. This is why imagination is sometimes more important than knowledge. From a distance, it looks like the Spider Tower Net has caught some insects. However, as you move closer you realize that the insects are children hanging from the massive Spider Net. GSWeb is limited only by your creativity. Can you imagine?




GS-SN1101-S


New Zealand
2018



SIZE Comparison




GS-SN1101-1



GS-SN1101




GS-SN1101-S



GS-SN1101-DS


GS-SN1101-1

| | |
|----------------|---------------------|
| Ages | 5~12 |
| Capacity | 148 |
| Size(m) | L10.7 x W6.8 x H6.1 |
| Use Zone(m) | L13.7 x W9.8 |
| Fall Height(m) | 1.0 |




GS-SP1101-DS

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 187 |
| Size(m) | L15.1 x W12.9 x H7 |
| Use Zone(m) | L17.1 x W15.8 |
| Fall Height(m) | 1.7 |




GS-SN1101

| | |
|----------------|-------------------|
| Ages | 5~12 |
| Capacity | 185 |
| Size(m) | L12.7 x W7.7 x H7 |
| Use Zone(m) | L14.2 x W9.7 |
| Fall Height(m) | 1.7 |



GS-SP1101-S

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 186 |
| Size(m) | L13.4 x W11.2 x H7 |
| Use Zone(m) | L14.2 x W13.4 |
| Fall Height(m) | 1.7 |



GS-SN1101-S

Taiwan
2019



GS-W804

UAE
2016



13

Igloo

The Igloo series is a steel-framed climbing structure made of steel-loaded polyamide cables with UV guards. Its design imitates the homes of the Inuits, the igloo.




GS-W801B

| | |
|----------------|-------------------|
| Ages | 5~12 |
| Capacity | 24 |
| Size(m) | L3.9x W3.9 x H1.9 |
| Use Zone(m) | L7.5x W7.5 |
| Fall Height(m) | 1.9 |



GS-W802-1

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 20 |
| Size(m) | L3.9 x W3.9 x H3.7 |
| Use Zone(m) | L7.5 x W7.5 |
| Fall Height(m) | 1.9 |



GS-W802-1E

| | |
|----------------|-------------------|
| Ages | 5~12 |
| Capacity | 36 |
| Size(m) | L7.5 x W5.3 x 3.7 |
| Use Zone(m) | L11 x W8.4 |
| Fall Height(m) | 1.9 |



Accessory



GS-W802-A1

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 25 |
| Size(m) | L4.1 x W4.1 x H4 |
| Use Zone(m) | L8.1 x W8.1 |
| Fall Height(m) | 2.0 |



GS-W802-A2

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 25 |
| Size(m) | L4.1 x W4.1 x H4 |
| Use Zone(m) | L8.1 x W8.1 |
| Fall Height(m) | 2.0 |



GS-W802-A3

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 25 |
| Size(m) | L4.1 x W4.1 x H4 |
| Use Zone(m) | L8.1 x W8.1 |
| Fall Height(m) | 2.0 |



GS-W802-A4

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 25 |
| Size(m) | L4.1 x W4.1 x H4 |
| Use Zone(m) | L8.1 x W8.1 |
| Fall Height(m) | 2.0 |



GS-W802-A5

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 25 |
| Size(m) | L4.1 x W4.1 x H4 |
| Use Zone(m) | L8.1 x W8.1 |
| Fall Height(m) | 2.0 |



GS-W802-A6

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 25 |
| Size(m) | L4.1 x W4.1 x H4 |
| Use Zone(m) | L8.1 x W8.1 |
| Fall Height(m) | 2.0 |



GS-W802-A7

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 31 |
| Size(m) | L5.1 x W5.1 x H4 |
| Use Zone(m) | L9.2 x W9.2 |
| Fall Height(m) | 2.0 |


GS-W80E3

Spain
2017




GS-W802

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 25 |
| Size(m) | L4.4 x W4.4 x H4.2 |
| Use Zone(m) | L8.3 x W8.3 |
| Fall Height(m) | 2.1 |





GS-W803

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 20 |
| Size(m) | L3.9 x W3.9 x H3.8 |
| Use Zone(m) | L7.5 x W7.5 |
| Fall Height(m) | 1.9 |




GS-W8013

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 44 |
| Size(m) | L9.8 x W5.4 x H3.8 |
| Use Zone(m) | L13.1 x W8.4 |
| Fall Height(m) | 1.9 |



GS-W8033

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 44 |
| Size(m) | L9.6 x W3.9 x H3.8 |
| Use Zone(m) | L13.2 x W7.5 |
| Fall Height(m) | 1.9 |



Accessory



GS-W803-A1

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 20 |
| Size(m) | L3.7 x W3.7 x H3.7 |
| Use Zone(m) | L7.4 x W7.4 |
| Fall Height(m) | 1.9 |



GS-W803-A2

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 26 |
| Size(m) | L8.3 x W6.6 x H3.7 |
| Use Zone(m) | L12 x W10 |
| Fall Height(m) | 1.9 |



GS-W803-A3

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 26 |
| Size(m) | L8 x W5.4 x H3.7 |
| Use Zone(m) | L12 x W8.6 |
| Fall Height(m) | 1.9 |



GS-W803-A4

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 29 |
| Size(m) | L6.2 x W5.3 x H3.7 |
| Use Zone(m) | L10 x W8.6 |
| Fall Height(m) | 1.9 |



GS-W804

Spain
2014




GS-W804

| | |
|----------------|----------------|
| Ages | 5~12 |
| Capacity | 35 |
| Size(m) | L6 x W6 x H4.4 |
| Use Zone(m) | L9 x W9 |
| Fall Height(m) | 1.5 |




GS-W805

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 42 |
| Size(m) | L5.3 x W5.3 x H5.5 |
| Use Zone(m) | L8.7 x W8.7 |
| Fall Height(m) | 1.8 |




GS-W805-S (I TYPE)

| | |
|----------------|---------------------|
| Ages | 5~12 |
| Capacity | 43 |
| Size(m) | L11.4 x W5.3 x H5.5 |
| Use Zone(m) | L15.1 x W8.7 |
| Fall Height(m) | 1.8 |




GS-W805-S (L TYPE)

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 43 |
| Size(m) | L9.7 x W6.6 x H5.5 |
| Use Zone(m) | L12.4 x W10.3 |
| Fall Height(m) | 1.8 |




GS-W812

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 38 |
| Size(m) | L4.3 x W4.1 x H3.6 |
| Use Zone(m) | L7.6 x W7.6 |
| Fall Height(m) | 1.7 |



GS-W808

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 45 |
| Size(m) | L6.4 x W6.1 x H4.6 |
| Use Zone(m) | L10.5 x W10.2 |
| Fall Height(m) | 2.3 |



Accessory




GS-W812-A1

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 40 |
| Size(m) | L6 x W4.1 X H3.6 |
| Use Zone(m) | L9.2 x W7.6 |
| Fall Height(m) | 2.5 |



GS-W812-A2

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 40 |
| Size(m) | L4.3 x W5.7 X H3.6 |
| Use Zone(m) | L7.6 x W9.0 |
| Fall Height(m) | 2.5 |



GS-W812-A3

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 40 |
| Size(m) | L4.5 x W5.6 X H3.6 |
| Use Zone(m) | L7.7 x W8.9 |
| Fall Height(m) | 2.5 |



GS-W812-A4

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 40 |
| Size(m) | L6.0 x W4.3 x H3.6 |
| Use Zone(m) | L9.1 x W7.6 |
| Fall Height(m) | 2.5 |

GS-W812

Singapore
2017





14


Net Climber

Here, we put fun back into the playground. The Net Climber series is a pyramid-style climbing structure made of steel-loaded polyamide cables with UV guards. GSWeb uses the highest steel content in the industry, including a steel-sire core in our edge ropes, to ensure long equipment life and maximum safety for children. These games help bring movement, exercise and fun back into the playground and enhance balance as children walk across the structure.




GS-W1001

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 28 |
| Size(m) | L5.6 x W5.6 x H4 |
| Use Zone(m) | L8.7 x W8.7 |
| Fall Height(m) | 0.4 |




GS-W1001-1

| | |
|----------------|--------------------|
| Ages | 3~8 |
| Capacity | 22 |
| Size(m) | L4.7 x W4.7 x H3.3 |
| Use Zone(m) | L7.8 x W7.8 |
| Fall Height(m) | 0.4 |



GS-W1001-S

| | |
|----------------|----------------|
| Ages | 5~12 |
| Capacity | 32 |
| Size(m) | L8 x W5.6 x H4 |
| Use Zone(m) | L11.5 x W8.7 |
| Fall Height(m) | 0.9 |





GS-W1001

Austria
2015




GS-W1001 Combination

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 80 |
| Size(m) | L14.6 x W13 x H4 |
| Use Zone(m) | L18.2 x W16 |
| Fall Height(m) | 2.0 |



Accessory



GS-WA01

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 4 |
| Size(m) | L4.4 x W0.9 x H2.5 |
| Use Zone(m) | L5.9 x W3 |
| Fall Height(m) | 1.5 |



GS-WA03

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 25 |
| Size(m) | L4 x W3.6 x H0.5 |
| Use Zone(m) | L5.5 x W6.6 |
| Fall Height(m) | 0.5 |



GS-WA02

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 15 |
| Size(m) | L4.4 x W1.2 x H2.2 |
| Use Zone(m) | L6.3 x W4.4 |
| Fall Height(m) | 2.0 |




GS-WA04

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 8 |
| Size(m) | L5.4 x W0.9 x H2.5 |
| Use Zone(m) | L6.4 x W3 |
| Fall Height(m) | 1.9 |


GS-Ws01

| | |
|----------------|--------------------|
| Ages | 2~5 |
| Capacity | 13 |
| Size(m) | L4.2 x W3.7 x H3.1 |
| Use Zone(m) | L7.4 x W6.8 |
| Fall Height(m) | 0.5 |




GS-Ws02

| | |
|----------------|--------------------|
| Ages | 2~5 |
| Capacity | 10 |
| Size(m) | L3.9 x W3.9 x H2.8 |
| Use Zone(m) | L7.4 x W7.4 |
| Fall Height(m) | 0.3 |




GS-Ws03

| | |
|----------------|----------------|
| Ages | 2~5 |
| Capacity | 18 |
| Size(m) | L5 x W5 x H3.1 |
| Use Zone(m) | L9.4 x W9.4 |
| Fall Height(m) | 0.3 |




GS-W1002-1

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 35 |
| Size(m) | L7.3 x W7.3 x H4.5 |
| Use Zone(m) | L10.8 x W10.8 |
| Fall Height(m) | 0.7 |




GS-W1002

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 46 |
| Size(m) | L9.4 x W9.4 x H5.8 |
| Use Zone(m) | L13 x W13 |
| Fall Height(m) | 0.7 |




GS-W1003

| | |
|----------------|----------------------|
| Ages | 5~12 |
| Capacity | 93 |
| Size(m) | L12.1 x W12.1 x H7.6 |
| Use Zone(m) | L15.2 x W15.2 |
| Fall Height(m) | 0.9 |



Components and Assemblies



Mast Cap

Mast

Mast Membrane

Mast Foot

Turnbuckle & Safety Rope

Mounting Plates

High-quality materials and manufacturing are important for us, from the smallest component to the complete GSWeb playnet. This begins with our innovative rope technology and is followed through to the clearly thought-out system that enables us to match our rope play structures to any location. We use creativity, competence and joy to continually improve our products.



Mast Cap

The rounded mast cap is made of aluminum. The edge ropes cross on the rope of the mast cap, into which they are fitted accurately to size. The ropes are anchored by means of U-bolts with nuts and washers inside the mast directly under the mast cap.



Mast

The mast is one of the most important components because it equalizes the oscillation in the Net Climber and makes its structure stable. The masts are made of high-quality seamless steel and hot-dipped as standard. Powder coating in various colors is available as an option.




Mast Foot

The net climber stands on a safety mast foot. This way, critical stress on the tensioning elements, especially on turnbuckles and anchor bars, is prevented. In addition, the mast foot secures the mast while the Net Climber is being assembled.




Mast Membrane

Where required, these completely surround the mast to fill in openings in the net, preventing entrapments. The shield is made of a textile-reinforced flexible rubber material and secured with bolts.



PE Panel

Where required, these completely surround the mast to fill in openings in the net, preventing entrapments. The shield is made of a textile-reinforced flexible rubber material and secured with bolts.



Ball type Joint

Ball-type joints are on-piece compressed aluminum balls compressed in place with 150,000 pounds of force (667KN) to prevent the connection from moving and causing premature cable wear.



GSWeb Clamp

The clamp's special design facilitates a variety of secure connections to the O.D. 139.8mm and O.D. 60.5mm main post. It is made of aluminum and endures a 2.9 ton tensile force.



Turnbuckle & Safety Rope

The hot-dipped tubular turnbuckles, fitted with self-locking nuts, counter nuts, and devices to prevent the bolt being unscrewed, are specially produced for GSWeb. Each main rope (edge rope from mast) of the equipment, with four tensioning points, is equipped with an additional safety rope. Should one of the main connections fail, the safety rope ensures the stability of the net climber.



PIP Box

PIP (Pour In Place) boxes are a must for housing the tension control and anchoring systems on rope climbers that are installed with a rubber soft fall. They will allow you to access the turnbuckles for maintenance without having to disturb the surface long after the installation is complete.




Mounting Plates

These are made of galvanized steel. Corner anchors will contain multiple connection points to allow for the adjustability of the turnbuckles as well as the connection of a safety rope. The center mast anchors consist of a stub post that stabilizes the mast and an anchor ring that secures the assembly to the concrete. This two-piece assembly allows for fine positioning of the post stub during installation, making the process simpler and easier. Mounting plates are secured to concrete blocks with 7/8" (22mm) x 20" (500mm) L-Anchor bolts.


GS-W1004-1

| | |
|----------------|--------------------|
| Ages | 3~8 |
| Capacity | 18 |
| Size(m) | L6.3 x W6.3 x H4.2 |
| Use Zone(m) | L8.9 x W8.9 |
| Fall Height(m) | 1.4 |




GS-W1004

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 37 |
| Size(m) | L11.9 x W11.9 x H3 |
| Use Zone(m) | L14.6 x W14.6 |
| Fall Height(m) | 2.0 |




GS-W1004 Combination

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 89 |
| Size(m) | L14.6 x W13 x H5.7 |
| Use Zone(m) | L18.4 x W16.1 |
| Fall Height(m) | 2.0 |




GS-W2001

| | |
|----------------|-------------------|
| Ages | 5~12 |
| Capacity | 60 |
| Size(m) | L13.2 x W7.9 x H4 |
| Use Zone(m) | L16.3 x W11 |
| Fall Height(m) | 0.6 |




GS-W2002

| | |
|----------------|----------------------|
| Ages | 5~12 |
| Capacity | 96 |
| Size(m) | L20.6 x W13.2 x H5.8 |
| Use Zone(m) | L24.4 x W17 |
| Fall Height(m) | 0.9 |




GS-W2003

| | |
|----------------|----------------------|
| Ages | 5~12 |
| Capacity | 192 |
| Size(m) | L27.6 x W17.1 x H7.6 |
| Use Zone(m) | L30.7 x W20.2 |
| Fall Height(m) | 1.2 |




GS-W1005

| | |
|----------------|----------------------|
| Ages | 5~12 |
| Capacity | 134 |
| Size(m) | L13.5 x W13.5 x H8.8 |
| Use Zone(m) | L18 x W18 |
| Fall Height(m) | 1.5 |




GS-W1006

| | |
|----------------|----------------------|
| Ages | 5~12 |
| Capacity | 157 |
| Size(m) | L15.6 x W15.6 x H9.9 |
| Use Zone(m) | L20.6 x W20.6 |
| Fall Height(m) | 1.8 |



GS-W1007

| | |
|----------------|---------------------|
| Ages | 5~12 |
| Capacity | 182 |
| Size(m) | L19.2 x W19.2 x H12 |
| Use Zone(m) | L25.1 x W25.1 |
| Fall Height(m) | 2.1 |



GS-W1006

Netherlands
2011

Net Climber


GS-W4001-C

Japan
2016




GS-W4001

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 128 |
| Size(m) | L12.9 x W12.9 x H4 |
| Use Zone(m) | L16 x W16 |
| Fall Height(m) | 0.6 |




GS-W4001-C

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 158 |
| Size(m) | L12.9 x W12.9 x H4 |
| Use Zone(m) | L16 x W16 |
| Fall Height(m) | 0.6 |



GS-W4002

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 200 |
| Size(m) | L20.6xW20.6xH5.8 |
| Use Zone(m) | L24.4 x W24.4 |
| Fall Height(m) | 0.9 |



15

NetScape

You should be proud that you have built your own playground! This series has been designed to provide a more active and comprehensive play space. Using various shapes and forms, children can enjoy a variety of play values. Plus, because each element is different, it provides a unique play experience. With the individual rope elements you can make more than a million different combinations of NetScape. Thus, no other NetScape will be the same as yours.


GS-TA P103

France
2014




GS-NS E01

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 20 |
| Size(m) | L3.2 x W3.2 x H2.6 |
| Use Zone(m) | L6.5 x W6.7 |
| Fall Height(m) | 1.9 |




GS-NS E02

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 10 |
| Size(m) | L3.2 x W3.2 x H2.6 |
| Use Zone(m) | L6.2 x W6.2 |
| Fall Height(m) | 1.3 |




GS-NS E03

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 11 |
| Size(m) | L3.2 x W3.2 x H2.6 |
| Use Zone(m) | L7.5 x W7.5 |
| Fall Height(m) | 2.5 |




GS-NS E04

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 4 |
| Size(m) | L3.2 x W0.9 x H2.6 |
| Use Zone(m) | L6.2 x W3.9 |
| Fall Height(m) | 1.3 |




GS-NS E05

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 6 |
| Size(m) | L3.2 x W0.2 x H2.6 |
| Use Zone(m) | L7.1 x W4.1 |
| Fall Height(m) | 2.2 |




GS-NS E06

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 5 |
| Size(m) | L3.2 x W0.7 x H2.6 |
| Use Zone(m) | L7.3 x W4.3 |
| Fall Height(m) | 2.3 |




GS-NS E07

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 5 |
| Size(m) | L3.2 x W0.2 x H2.6 |
| Use Zone(m) | L7.4 x W4.4 |
| Fall Height(m) | 2.4 |




GS-NS E08

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 4 |
| Size(m) | L3.2 x W0.7 x H2.6 |
| Use Zone(m) | L7.4 x W4.9 |
| Fall Height(m) | 2.4 |



GS-NS E09

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 5 |
| Size(m) | L3.2 x W0.2 x H2.6 |
| Use Zone(m) | L7.3 x W4.3 |
| Fall Height(m) | 2.3 |




GS-NS E10

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 6 |
| Size(m) | L3.2 x W0.8 x H2.6 |
| Use Zone(m) | L7.1 x W4.7 |
| Fall Height(m) | 2.2 |



GS-NS E11

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 8 |
| Size(m) | L3.2 x W0.2 x H2.6 |
| Use Zone(m) | L7.4 x W4.4 |
| Fall Height(m) | 2.4 |




NetScape

Metal components and connections are in RAL7047 Grey, shown color information on the last page.

GS-NS E12

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 9 |
| Size(m) | L3.2 x W1.1 x H2.6 |
| Use Zone(m) | L6.8 x W4.7 |
| Fall Height(m) | 2.0 |




GS-NS E12
USA
2013

GS-NS E14

- We supply a various color option on the slide, shown color information on the last page.
- 1200mm in height.


GS-NS E13

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 5 |
| Size(m) | L3.2 x W0.2 x H2.6 |
| Use Zone(m) | L6.9 x W3.9 |
| Fall Height(m) | 2.1 |




GS-NS E14

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 6 |
| Size(m) | L3.2 x W3.9 x H2.6 |
| Use Zone(m) | L6.2 x W7.8 |
| Fall Height(m) | 1.2 |




GS-NS E15

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 8 |
| Size(m) | L4.7 x W1.4 x H2.6 |
| Use Zone(m) | L7.8 x W4.4 |
| Fall Height(m) | 1.7 |




GS-NS E16

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 13 |
| Size(m) | L4.7 x W1.4 x H2.6 |
| Use Zone(m) | L7.8 x W4.4 |
| Fall Height(m) | 1.6 |




GS-NS E17

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 21 |
| Size(m) | L3.2 x W3.2 x H2.6 |
| Use Zone(m) | L6.4 x W6.4 |
| Fall Height(m) | 2.5 |




GS-NS E18

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 19 |
| Size(m) | L5.3 x W2 x H2.6 |
| Use Zone(m) | L9.4 x W6.1 |
| Fall Height(m) | 2.3 |




GS-NS E20

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 6 |
| Size(m) | L3.2 x W0.8 x H2.6 |
| Use Zone(m) | L6.9 x W3.9 |
| Fall Height(m) | 2.0 |




GS-NS E21

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 4 |
| Size(m) | L3.2 x W0.6 x H2.6 |
| Use Zone(m) | L7.5 x W4.9 |
| Fall Height(m) | 2.5 |




GS-NS E22

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 6 |
| Size(m) | L2.7 x W1.2 x H2.6 |
| Use Zone(m) | L6.5 x W5 |
| Fall Height(m) | 2.1 |




GS-NS E23

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 6 |
| Size(m) | L5.7 x W1.4 x H2.6 |
| Use Zone(m) | L8.7 x W4.4 |
| Fall Height(m) | 0.7 |




GS-NS E51

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | - |
| Size(m) | L0.1 x W0.1 x H2.6 |
| Use Zone(m) | L3.2 x W3.2 |
| Fall Height(m) | - |



GS-NS E52

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | - |
| Size(m) | L0.5 x W0.5 x H2.6 |
| Use Zone(m) | L3.5 x W3.5 |
| Fall Height(m) | 0.5 |



GS-NS E53

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | - |
| Size(m) | L0.8 x W0.8 x H4.1 |
| Use Zone(m) | L3.5 x W3.5 |
| Fall Height(m) | 0.5 |




GS-NS E54

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | - |
| Size(m) | L0.8 x W0.8 x H4.1 |
| Use Zone(m) | L3.2 x W3.2 |
| Fall Height(m) | - |



GS-NS M201

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 26 |
| Size(m) | L6.2 x W3.2 x H2.6 |
| Use Zone(m) | L10.2 x W7.5 |
| Fall Height(m) | 2.5 |



GS-NS M202


| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 21 |
| Size(m) | L6.2 x W6.2 x H2.6 |
| Use Zone(m) | L10.2 x W10.3 |
| Fall Height(m) | 2.4 |



GS-NS M202
South Korea
2020

GS-NS M203

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 30 |
| Size(m) | L3.6 x W3.2 x H2.6 |
| Use Zone(m) | L7.1 x W7.3 |
| Fall Height(m) | 2.5 |





GS-NS M204

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 43 |
| Size(m) | L6.2 x W6.8 x H2.6 |
| Use Zone(m) | L10.4 x W10.5 |
| Fall Height(m) | 2.4 |





GS-NS M207

| | |
|----------------|---------------------|
| Ages | 5~12 |
| Capacity | 10 |
| Size(m) | L10.6 x W3.2 x H2.6 |
| Use Zone(m) | L14.3 x W7.5 |
| Fall Height(m) | 2.5 |




GS-NS M208

| | |
|----------------|---------------------|
| Ages | 5~12 |
| Capacity | 48 |
| Size(m) | L13.6 x W6.9 x H2.6 |
| Use Zone(m) | L16.7 x W11.1 |
| Fall Height(m) | 2.5 |



GS-NS M205

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 54 |
| Size(m) | L9.2 x W9.8 x H2.6 |
| Use Zone(m) | L13.4 x W13.5 |
| Fall Height(m) | 2.5 |



GS-NS M206

| | |
|----------------|---------------------|
| Ages | 5~12 |
| Capacity | 42 |
| Size(m) | L18.4 x W1.8 x H2.6 |
| Use Zone(m) | L22.2 x W5.9 |
| Fall Height(m) | 2.4 |




GS-NS M209

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 30 |
| Size(m) | L8.6 x W3.2 x H2.6 |
| Use Zone(m) | L12.6 x W7.5 |
| Fall Height(m) | 2.5 |




GS-NS M210

| | |
|----------------|---------------------|
| Ages | 5~12 |
| Capacity | 72 |
| Size(m) | L8.5 x W10.3 x H2.6 |
| Use Zone(m) | L11.6 x W14.3 |
| Fall Height(m) | 2.4 |





GS-TA P101

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 28 |
| Size(m) | L5.6 x W5.8 x H4.4 |
| Use Zone(m) | L9.3 x W9.1 |
| Fall Height(m) | 2.5 |



GS-TA P103

| | |
|----------------|----------------------|
| Ages | 5~12 |
| Capacity | 63 |
| Size(m) | L15.2 x W13.8 x H4.1 |
| Use Zone(m) | L18.6 x W17.3 |
| Fall Height(m) | 2.5 |



GS-TA P103

France
2014



16

Play Dome

Exhilaration in achieving mutual goals. Children will be invited into the exciting world of GSWeb Play Domes, developing their enthusiastic curiosity for attempting a new adventure. The Dome's stable, rigid and aesthetically fine structure contains various rooms and spaces inside for children to hide, seek, climb and play, as if they were in a different world.


GS-PD8001-M

Canada
2015





GS-PD7001

| | |
|----------------|--------------------------------|
| Ages | 5~12 |
| Capacity | 18 |
| Size(m) | L14.3 x W6.4 x H4.1 |
| Use Zone(m) | L18 x W9.9 |
| Fall Height(m) | 2.8 |
| Element | GS-PD E01, E02, E03, E04, E104 |





GS-PD7003

| | |
|----------------|--|
| Ages | 5~12 |
| Capacity | 43 |
| Size(m) | L33.8 x W13.5 x H4.1 |
| Use Zone(m) | L37.3 x W16.9 |
| Fall Height(m) | 2.8 |
| Element | GS-PD E01, E02, E03, E04, E103, E106, E108 |





GS-PD7002

| | |
|----------------|--------------------------------------|
| Ages | 5~12 |
| Capacity | 22 |
| Size(m) | L21.5 x W10.8 x H4.1 |
| Use Zone(m) | L25.4 x W14.2 |
| Fall Height(m) | 3.0 |
| Element | GS-PD E01, E02, E03, E04, E106, E108 |



GS-PD7004

| | |
|----------------|--|
| Ages | 5~12 |
| Capacity | 42 |
| Size(m) | L23.2 x W16.8 x H4.1 |
| Use Zone(m) | L26.6 x W20 |
| Fall Height(m) | 3.0 |
| Element | GS-PD E01, E02, E03, E04, E103, E106, E108 |



Elements of Play Dome

Play Dome Element

The Play Dome is a flexible solution that supports the easy adaptation of size and form to meet the customer's requirements. Its distinctive steel curved arches and supporting posts make an impressive centerpiece for any play area. You can simply choose one of our standard configurations to fit your space and budget, or you can arrange configurations to create your own bespoke layout.

GS-PD E01

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 1 |
| Size(m) | L2.1 x W0.5 x H3.5 |
| Use Zone(m) | L4.6 x W4.5 |
| Fall Height(m) | 2.6 |



GS-PD E02

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 2 |
| Size(m) | L2.7 x W1.1 x H3.5 |
| Use Zone(m) | L4.7 x W4.1 |
| Fall Height(m) | 0.5 |




GS-PD E03

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 1 |
| Size(m) | L2.3 x W0.4 x H3.5 |
| Use Zone(m) | L4.2 x W4.2 |
| Fall Height(m) | 2.1 |



GS-PD E04

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 1 |
| Size(m) | L2.6 x W0.2 x H3.5 |
| Use Zone(m) | L4.8 x W3.8 |
| Fall Height(m) | 2.5 |



Elements of Play Dome

Play Dome Element

The Play Dome is a flexible solution that supports the easy adaptation of size and form to meet the customer's requirements. Its distinctive steel curved arches and supporting posts make an impressive centerpiece for any play area. You can simply choose one of our standard configurations to fit your space and budget, or you can arrange configurations to create your own bespoke layout.

GS-PD E101

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 4 |
| Size(m) | L8.2 x W0.2 x H4.1 |
| Use Zone(m) | L9.6 x W3.8 |
| Fall Height(m) | 2.6 |




GS-PD E102

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 8 |
| Size(m) | L8.2 x W0.2 x H4.1 |
| Use Zone(m) | L11.2 x W4.8 |
| Fall Height(m) | 2.8 |



GS-PD E103

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 10 |
| Size(m) | L8.2 x W0.2 x H4.1 |
| Use Zone(m) | L9.5 x W4.5 |
| Fall Height(m) | 2.6 |




GS-PD E104

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 10 |
| Size(m) | L8.2 x W2.5 x H4.1 |
| Use Zone(m) | L10 x W5.3 |
| Fall Height(m) | 2.8 |



GS-PD E105

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 9 |
| Size(m) | L8.2 x W0.2 x H4.1 |
| Use Zone(m) | L11.2 x W3.2 |
| Fall Height(m) | 1.3 |



GS-PD E106

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 9 |
| Size(m) | L8.2 x W0.2 x H4.1 |
| Use Zone(m) | L11.2 x W3.2 |
| Fall Height(m) | 1.0 |



GS-PD E107

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 9 |
| Size(m) | L8.2 x W0.9 x H4.1 |
| Use Zone(m) | L11.2 x W3.8 |
| Fall Height(m) | 1.0 |



GS-PD E108

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 7 |
| Size(m) | L8.2 x W0.4 x H4.1 |
| Use Zone(m) | L11.2 x W3.2 |
| Fall Height(m) | 3.0 |



GS-PD E109

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 9 |
| Size(m) | L8.2 x W0.9 x H4.1 |
| Use Zone(m) | L11.2 x W3.8 |
| Fall Height(m) | 2.5 |



GS-PD E110

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 9 |
| Size(m) | L8.2 x W0.9 x H4.1 |
| Use Zone(m) | L11.2 x W3.8 |
| Fall Height(m) | 1.3 |




GS-PD8002

Taiwan
2018




GS-PD8001-M

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 17 |
| Size(m) | L8.4 x W4 x H4.1 |
| Use Zone(m) | L11.3 x W6.9 |
| Fall Height(m) | 2.2 |



GS-PD8002-1

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 13 |
| Size(m) | L4.5 x W4.2 x H2.6 |
| Use Zone(m) | L7.5 x W7.2 |
| Fall Height(m) | 1.5 |





GS-PD8001

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 11 |
| Size(m) | L8.4 x W1 x H3.8 |
| Use Zone(m) | L11.3 x W5.2 |
| Fall Height(m) | 2.2 |




GS-PD8002

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 41 |
| Size(m) | L7.1 x W6.7 x H4.4 |
| Use Zone(m) | L10.1 x W9.7 |
| Fall Height(m) | 2.4 |




GS-PD8003

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 51 |
| Size(m) | L8.4 x W7.6 x H4.1 |
| Use Zone(m) | L11.4 x W10.5 |
| Fall Height(m) | 1.9 |



GS-PD8004

| | |
|----------------|----------------------|
| Ages | 5~12 |
| Capacity | 99 |
| Size(m) | L12.8 x W11.1 x H6.1 |
| Use Zone(m) | L15.3 x W13.7 |
| Fall Height(m) | 1.5 |



Color Schemes

Watermelon



Traffic Red
Frame

Abundant Green
Frame

Terra Brown
Frame

LPG Gray
Frame

Cactus




Yellow Green
Frame

Abundant Green
Frame

Zinc Yellow
Frame

LPG Gray
Frame

Circus



Traffic Red
Frame

Royal Purple
Frame

Teal Blue
Frame

Yellow
HPL

GS-PD8003

China
2019



Play Dome

17

Giant Double Dome Play

A truly magnificent structure, the inner Dome that is found within this structure is a labyrinth of ropes that challenges the mind and body. Children can climb on the inside and the outside of the inner Dome and make their way to the top, where they can enter the fully enclosed slide to make their escape. The outer Dome is designed to cocoon the inner Dome and provide strength to the structure via its geodesic shape. GSWeb suggests new types of unique climbing activities for older children as well as preschool children and helps make fitness fun.




GS-PD8005

South Korea
2020



SIZE Comparison



¹View room
It is designed that children can slide down to the ground after climbing with a real sense of achievement.

²Outer Dome Net
It is designed that children can climb-up to the top safely.

³Inner Dome Net
This complex net helps that children can enjoy the net in various ways.

GS-PD8005 + GS-SN1101-S

Taiwan
2019



GS-PD8005

| | |
|----------------|-------------------|
| Ages | 5~12 |
| Capacity | 280 |
| Size(m) | L16.9 x W12 x H10 |
| Use Zone(m) | L20.7 x W16.1 |
| Fall Height(m) | 2.1 |



GS-PD8005

South Korea
2018





GS-PD8005-1

South Korea
2014



GS-PD8005-1

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 250 |
| Size(m) | L12 x W12 x H7.2 |
| Use Zone(m) | L16.1 x W16.1 |
| Fall Height(m) | 2.1 |



GS-PD8005-1

South Korea
2014



18

Flying Fox

Flying Fox is designed to be sat on (rather than dangled from) as children zoom down a hill. When viewing the structure, your first question might be "Is it safe?". But naturally, at GSWeb we are safety-driven with our design because we have to be. Children may not know how to use the structure, and they will have to overcome a big hurdle, a fear of litigation, before they ride it. To us, children achieving mutual goals is what makes a playground interesting.



GS-R301
Taiwan
2020




SIZE Comparison



GS-R101



GS-R102



GS-R301



GS-R302

GS-R101

South Korea
2013




GS-R101

| | |
|----------------|-------------------|
| Ages | 5~12 |
| Capacity | 1 |
| Size(m) | L23.4 x W2 x H3.7 |
| Use Zone(m) | L24.9 x W4 |
| Fall Height(m) | 1.7 |




GS-R301

| | |
|----------------|---------------------|
| Ages | 5~12 |
| Capacity | 1 |
| Size(m) | L13.1 x W5.2 x H4.4 |
| Use Zone(m) | L16.8 x W8.8 |
| Fall Height(m) | 0.9 |





GS-R102

| | |
|----------------|---------------------|
| Ages | 5~12 |
| Capacity | 1 |
| Size(m) | L27.2 x W3.9 x H4.7 |
| Use Zone(m) | L28.8 x W4 |
| Fall Height(m) | 1.5 |



GS-R302

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 1 |
| Size(m) | L12 x W12 x H4.8 |
| Use Zone(m) | L15.3 x W15.3 |
| Fall Height(m) | 1.3 |



19

Rainbow Swing

What if we could swing on a rainbow? What if we could experience a double or triple rainbow? This fantasy can come true with our Rainbow Swing. The light aluminum seat with a rubber safety bumper allows children to swing effortlessly while being safe for children who are near the swing.


GS-RS3200

Australia
2018



GS-RS2100

| | |
|----------------|--------------------|
| Ages | 2~12 |
| Capacity | 2 |
| Size(m) | L3.9 x W0.7 x H1.6 |
| Use Zone(m) | L4.9 x W6.1 |
| Fall Height(m) | 0.9 |



Elements of Swing



GS-RS2000

| | |
|----------|-------------------|
| Ages | 2~12 |
| Capacity | 2 |
| Size(m) | L1.5 x W0.7 x 0.6 |

Elements of Swing




GS-RS3000

| | |
|----------|------------|
| Ages | 2~12 |
| Capacity | 2 |
| Size(m) | D1.1 x 0.1 |


GS-RS3100

| | |
|----------------|------------------|
| Ages | 2~12 |
| Capacity | 2 |
| Size(m) | L3.7 x W1 x H2.8 |
| Use Zone(m) | L5.5 x W8.5 |
| Fall Height(m) | 1.7 |




GS-RS2100-A

| | |
|----------------|--------------------|
| Ages | 2~12 |
| Capacity | 4 |
| Size(m) | L6.7 x W0.7 x H1.6 |
| Use Zone(m) | L7.7 x W6.1 |
| Fall Height(m) | 0.9 |




GS-RS2200-A

| | |
|----------------|-------------------|
| Ages | 2~12 |
| Capacity | 6 |
| Size(m) | L10 x W0.7 x H1.6 |
| Use Zone(m) | L11.1 x W6.1 |
| Fall Height(m) | 0.9 |



GS-RS3200

| | |
|----------------|----------------|
| Ages | 2~12 |
| Capacity | 4 |
| Size(m) | L7 x W1 x H2.8 |
| Use Zone(m) | L8.9 x W8.5 |
| Fall Height(m) | 1.7 |



GS-RS3300

| | |
|----------------|-------------------|
| Ages | 2~12 |
| Capacity | 6 |
| Size(m) | L10.4 x W1 x H2.8 |
| Use Zone(m) | L12.2 x W8.5 |
| Fall Height(m) | 1.7 |




GS-RS4001

| | |
|----------------|---------------------|
| Ages | 2~12 |
| Capacity | 14 |
| Size(m) | L21.6 x W7.1 x H1.6 |
| Use Zone(m) | L26.6 x W7.3 |
| Fall Height(m) | 0.9 |




GS-RS4002

| | |
|----------------|------------------|
| Ages | 2~12 |
| Capacity | 14 |
| Size(m) | L26.5xW10.4xH1.6 |
| Use Zone(m) | L27.5 x W13.9 |
| Fall Height(m) | 0.9 |



GS-RS4100

| | |
|----------------|----------------------|
| Ages | 2~12 |
| Capacity | 70 |
| Size(m) | L37.7 x W15.2 x H2.7 |
| Use Zone(m) | L42.2 x W20.4 |
| Fall Height(m) | 2.7 |



GS-RS4001

Singapore
2017



20

Net Jumper

The Net Jumper is a specialty climbing structure featuring a flexible center area surrounded by netting. It is made of steel-loaded polyamide cables with UV guards and the landing surface is a textile-reinforced flexible rubber material.



GS-W5002

South Korea
2013




SIZE Comparison



GS-W5001



GS-W5002





GS-W5003



GS-W5004


GS-W5001

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 13 |
| Size(m) | L5 x W4.3 x H1.5 |
| Use Zone(m) | L8.6 x W8.6 |
| Fall Height(m) | 1.2 |





GS-W5002

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 15 |
| Size(m) | L6.7 x W5.8 x H1.5 |
| Use Zone(m) | L10.5 x W10.5 |
| Fall Height(m) | 1.3 |





GS-W5003

| | |
|----------------|-------------------|
| Ages | 5~12 |
| Capacity | 15 |
| Size(m) | L11.3 x W8 x H2.1 |
| Use Zone(m) | L14.1 x W14.1 |
| Fall Height(m) | 0.7 |



GS-W5004

| | |
|----------------|------------------|
| Ages | 5~12 |
| Capacity | 154 |
| Size(m) | L11 x W11 x H2.3 |
| Use Zone(m) | L14 x W14 |
| Fall Height(m) | 0.7 |



GS-W5001

South Korea
2018



21

Space Craft

We all remember the fun of riding the merry-go-round when they were younger, and the spacecraft series is the 21st-century version of this. Our special bearing system controls the rotation speed so that children can safely enjoy the same exhilarating experience.




GS-SC2200

Vietnam
2019




SIZE Comparison



GS-SC2100

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 39 |
| Size(m) | L3.3 x W3.3 x H3.7 |
| Use Zone(m) | L7.3 x W7.3 |
| Fall Height(m) | 2.6 |




GS-SC2101

| | |
|----------------|----------------|
| Ages | 5~12 |
| Capacity | 13 |
| Size(m) | L2 x W2 x H2.3 |
| Use Zone(m) | L6 x W6 |
| Fall Height(m) | 1.5 |



GS-SC2300

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 37 |
| Size(m) | L3.3 x W3.3 x H3.3 |
| Use Zone(m) | L7.8 x W7.8 |
| Fall Height(m) | 2.7 |



GS-SC2102

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 25 |
| Size(m) | L3.3 x W3.3 x H3.3 |
| Use Zone(m) | L7.3 x W7.3 |
| Fall Height(m) | 2.1 |





GS-SC2200

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 25 |
| Size(m) | L3.3 x W3.3 x H3.5 |
| Use Zone(m) | L7.3 x W7.3 |
| Fall Height(m) | 2.0 |



GS-SC2300F

| | |
|----------------|--------------------|
| Ages | 5~12 |
| Capacity | 37 |
| Size(m) | L3.3 x W3.3 x H3.3 |
| Use Zone(m) | L7.8 x W7.8 |
| Fall Height(m) | 2.3 |



GS-SC2100

Finland
2014



Bespoke PARK

You can count on GSWeb to provide everything you need for a successful playground project. At their heart, all GSWeb products are composed of linear materials, namely rope, posts and tubes. Therefore, they never overshadow their surroundings. People, buildings, plants and trees never lose their presence in the company of GSWeb products. In both rural and urban environments, GSWeb products ensure that your play areas bend and harmonize for a pleasant outlook and better play.

Big Splash

Singapore
2019



Bespoke PARK

The lotus flower reaches a height of 15 meters, so when children successfully reach the top they can enjoy a huge sense of accomplishment and increased self-esteem. The tower introduces active movement that enhances children's adaptability through climbing and hanging on various ropes and accessories. It provides them with opportunities to explore, build, learn and practice key developmental skills in a safe environment.

Lotus Park
South Korea
2021



Bespoke PARK

GS-SP203904

Taiwan
2020



Bespoke PARK

GS-SP21371
South Korea
2021







Bespoke PARK

GS-SP181502

South Korea
2019



Bespoke PARK



Admiralty Park, Family Zone

Singapore
2017

Bespoke PARK

Admiralty Park, Junior Zone

Singapore
2017



Bespoke PARK



Admiralty Park, Adventure Zone Singapore 2017



Play Exciting

EX series are designed to immediately capture the attention and interest of older children and adults. They provide a means for healthy exercise and are the perfect way to release excess energy. The various levels of play will challenge people of every ability, providing basic exercise, play and more challenging activities for adventurous individuals. This delivers a sense of thrill, pure excitement and fun.



Exciting Tower



Challenge Adventure



Exciting Tower



Exciting Tower



Exciting Flying



Exciting Flying



Exciting Flying



Exciting Net



GSWeb's flying net is made with UHMWPE (Ultra-High-Molecular-Weight Polyethylene) fabrics. It is highly resistant to corrosive chemicals except for oxidizing acids; it has extremely low moisture absorption and a very low coefficient of friction. This is the perfect material for an outdoor bouncing net as it has better abrasion resistance than the ordinary safety mesh.



Exciting Net



Exciting Net



Exciting Net



Exciting Cycle



Exciting Cycle



Exciting Cycle



Exciting Bike



Exciting Bike



Exciting Bike



Exciting Bike